



HunkunNET

三冠牌 #1 Netting Solution Since 1974

Plain Weaving Shading Net

Material : PE Monofilament / Flat yarn


Features : It is made of flat weave, with high shading rate and economical benefits.

Application : shading, sun protection, heat insulation

Color : black, green, silver, orange, transparent, silver black double mesh

Size Chart : Customized


Item No.	Length	Length	Width	Width	Width	Width	Width	Width	Width	Width	Width	Width	Width
PA1410	50 M	350 M	0.6 M	0.9 M	1.0 M	1.2 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M	7.4 M




PA 1410 Black



PA 1410 Orange/White



PA 1410 Green



PA 1410 Silver



Leno weaving shading net

Material : PE Monofilament + Flat yarn


Feature : Better shading rate , Weft yarn used leno weaving 、fixed mesh 、Economic and affordable.

Applicable : Shading, sun protection, heat insulation


Color : Black, green, silver, milky, transparent

Size chart : customized , A means that two round yarns are interlaced with the flat yarn ribs.


Item No.	Shading Rate	Length	Width	Width	Width	Width	Width	Width	Width	Width	Width	Width
LA0610	50%	50 M						1.8 M			3.6 M	
LA0810	60 %	50 M						1.8 M			3.6 M	
LA1010	70 %	50 M						1.8 M			3.6 M	
LA1210	80%	50 M						1.8 M			3.6 M	
LB0610	50%	50 M	0.6 M	1.0 M	1.2 M	1.5 M	1.6 M	1.8 M	2.1 M	2.4 M	3.6 M	4.3 M
LB0810	60 %	50 M	0.6 M	1.0 M	1.2 M	1.5 M	1.6 M	1.8 M	2.1 M	2.4 M	3.6 M	4.3 M
LB1010	70 %	50 M	0.6 M	1.0 M	1.2 M	1.5 M	1.6 M	1.8 M	2.1 M	2.4 M	3.6 M	4.3 M
LB1210	80%	50 M	0.6 M	1.0 M	1.2 M	1.5 M	1.6 M	1.8 M	2.1 M	2.4 M	3.6 M	4.3 M




LA 0610 (50%)




LA 0810 (60%)




LA 1010 (70%)



LA 1210 (80%)




LB 0610 (50%)



LB 0810 (60%)



LB 1010 (70%)



LB 1210 (80%)



Nylon shading Net with loop

Material : PE monofilament, flat yarn and nylon monofilament or double PE round yarn.

Type : Plain weave, rib weave


Features : The net body is woven with reinforcing straps, and the mounting brackets are used for the movable structure.

Color : Black, blue, green, silver, orange


P.S. N : Nylon ear P: PE ear

Size Chart: Customized


Item No.	Shading Rate	Length	Width	Width	Width	Width	Width	Width
EN0610	50 %	50 M		1.8 M	2.4 M		3.6 M	4.3 M
EN0810	60 %	50 M		1.8 M	2.4 M		3.6 M	4.3 M
EN1010	70 %	50 M		1.8 M	2.4 M		3.6 M	4.3 M
EN1210	80 %	50 M	0.9 M	1.8 M	2.4 M		3.6 M	4.3 M
EN1410	90 %	50 M	0.9 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M
EP1410	90 %	50 M		1.8 M	2.4 M	3.0 M	3.6 M	4.3 M



EN 0610 (50%)




EN 0810 (60%)




EN 1010 (70%)



EN 1210 (80%)



EN 1410 (90%)



Hanging Shading Net

Material : PE monofilament round yarn 、 flat yarn and nylon monofilament round yarn

Type : L type 、 □ type 、 wave U type

Features : Three-dimensional shading net 、 good ventilation 、 not afraid of strong wind 、 bright colors.

The hanging yarn sways with the bright colors in the wind.

Applicable : Home roof courtyard, parking lot, kindergarten, gas station, playground, leisure farm, garden coffee, swimming pool, car wash.


Color : blue 、 green 、 orange 、 red 、 milky white 、 ivory white

Size Chart :

Item No.	Length	Description	Cover area / m ²
TL0017	250 M	Weave 17 CM	42.5
TL0020	250 M	Weave 20 CM	50
TL0090	250 M	Weave 90 CM	225
TM0020	250 M	Weave 20 CM	50
TM0033	250 M	Weave 33 CM	82.5
TU0020	250 M	Weave 20 CM U 60 CM	150



TL



TM



TU

RA Knit Net

Material : PE monofilament round yarn


Features : Knitting and weaving are shaped and processed, the net body does not shrink, and it is easy to construct without winding. It has good strength and durability, and can also be used as a windproof net.

Applicable : shading, sun protection, windproof


Color : Black, Green

Size Chart : Customized


Item No.	Shading rate	Length	Width	Width
RA6250	50%	30 M	1.8 M	3.6 M
RA6360	60 %	30 M	1.8 M	3.6 M
RA9370	70 %	30 M	1.8 M	3.6 M
RA9480	80%	30 M	1.8 M	3.6 M




RA 6250 (50%)



RA 6360 (60%)



RA 9370 (70%)



RA 9480 (80%)



RN Knotted Knit Net

Material : PE monofilament round yarn


Features : Knitting and weaving are shaped and processed, the net body does not shrink, and it is easy to construct without winding. It has good strength and durability, and can also be used as a windproof net.

Applicable : shading, sun protection, windproof


Color : black, green, white, silver

Size Chart : Customized

Item No.	Shading rate	Length	Width	Width	Width	Width	Width	Width	Width
RN6250	50%	30 M	1.2 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M
RN6360	60 %	30 M	1.2 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M
RN9370	70 %	30 M	1.2 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M
RN9480	80%	30 M	1.2 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M




RN 6250 (50%)



RN 6360 (60%)



RN 9370 (70%)



RN 9480 (80%)



RF Flat Yarn Knit Net

Material : PE monofilament round yarn / flat Yarn

Features : High shading rate, knitting and weaving, after shaping, the net body does not shrink, not involve, easy to build.

Applicable : Parking lot, leisure farm, car wash, gas station, kindergarten, roof shading.

Color : black, green, blue, silver, orange

Size Chart : Customized

Item No.	Shading rate	Length	Width	Width	Width	Width	Width	Width	Width
RF6380	80%	30 M	0.9 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M
RF6390	90 %	30 M	0.9 M	1.8 M	2.4 M	3.0 M	3.6 M	4.3 M	4.9 M



RF 6380 (80%) Blue



RF 6380 (80%) Green



RF 6390 (90%) Black



SHADE SAIL


Material : PE monofilament Flat yarn

Features : Better Shading rate ,Knitting weaving , Shade processed, the net body does not shrink, and it is easy to DIY set up. It has good strength and durability, and can also be used as a windproof net.

Applicable : Parking lot, leisure farm, camping , roof shading , car wash, gas station, kindergarten, roof shading.

Color : Green 、Blue

Size Chart : RK 6380 , 4.8 M , Regular triangle



Weed Control Mat


Material : PE Monofilament Flat Yarn

- Feature :
1. Effectively prevent weeds grow in greenhouses, orchards, gardening , don't need to weeding ~ free of medication.
 2. Breathable, good water permeability, no mold, no smell, and maintain soil.
 3. There is a dividing line every 15 cm for the basis of the placement of the flower pot container.
 4. Light is applied to the white weed mat to refract to the bottom of the fruit, making the fruit more evenly colored and selling appearance better.


Color : Black ~ milky

Size Chart : Customized

Item No.	Length	Width	Width	Width	Width	Width	Width	Width	Width	Width	Width
FF0100	50 M	0.6 M	0.9 M	1.2 M	1.5 M	1.8 M	2.1 M	2.4 M	3.0 M	3.6 M	4.3 M



FF0100 M



FF0100 B



INSECT NET

Material : PE monofilament round yarn

Flat weave insect net.

Features : Add anti-UV agent, fine silk high tension.

Applicable : Mesh is small, effectively preventing pests and diseases.

Knitting insect nets.

Features : Good strength 、 good ventilation 、 anti-strong wind 、 pest control.

Applicable : Planting vegetables 、 melons and fruits 、 such as melon 、 cucumber 、 bitter gourd 、 papaya... etc.

Fruit fly net

Material : PE transparent monofilament

Weave : Rib weave 、 knitting

Features : The mesh is not easy to disperse, the light transmission is good, the mesh room has good air permeability and is not stuffy.


Applicable : Net erecting effectively prevents fruit flies from invading fruits and affecting fruit quality.

For example,candied dates, grapes, sweet peaches... etc.


Color: Transparent 、 green 、 black 、 black and white 、 red

Size Chart: Customized

Item No.	Length	Length	Length	Length	Width	Width	Width	Width	Width	Width	Width	Width
WA1616	30 M		90 M		0.6 M	1.2 M	1.8 M	2.1 M	2.4 M	3.0 M	3.6 M	
WA2424	30 M		90 M			1.2 M	1.8 M		2.4 M		3.6 M	
WA3232		50 M	90 M								3.6 M	4.3 M
WB3432		50 M										4.3 M
LR3015				100 M							3.6 M	4.3 M
LR3025				100 M							3.6 M	4.3 M
RR6250			90 M								3.6 M	4.3 M
RR9480			90 M								3.6 M	4.3 M
RR9490			90 M								3.6 M	4.3 M




WA 1616




WA 1616




WA 2424



WA 3232



WB 3432




LR 3015



LR 3025



RR 6250



RR 9480



RR 9490



Energy Saving Cloth

Material : PE complex flat yarn

Type : 1. Fully transparent, silver, silver black


2. 50% silver/clear stripe, 60% silver/clear stripe, 70% silver/clear stripe

Features : The mesh is fixed and not free, it can be shaded, breathable and anti-fog, and prevent dripping.

Applicable : Orchard Garden greenhouse inner layer, technology cultivation field to reduce temperature control space, saving energy.

Size Chart : Customized

Item No.	Width	Length
JA0000 Transparent energy cloth	4.2 M	50 M
JA0050 Straight strip of energy cloth	4.2 M	50 M
JA0060 Straight strip of energy cloth	4.2 M	50 M
JA0070 Straight strip of energy cloth	4.2 M	50 M
JA0100 Adhesive silver mesh	4.2 M	50 M



JA 0050 (50%)



JA 0060 (60%)



JA 0070 (70%)



Window Screen : DS1414

Material : PE double yarn

Application : Used in general household screens, screen doors, and other applications.

Adhesive folding screen net : SC2020

Material : Polyolefin composite fiber

Color: Black ~ Silver

Mesh : 20 x 20/ Inch

Size : Width : 0.6 M ~ 4.8 M


Features : 1. Stereotype processing, the mesh is not free.
2. Environmentally friendly materials, no secondary pollution.
3. Durable and not easy to embitter .
4. Non-sizing treatment, can be washed.
5. Good strength and good recovery.
6. The material will not soften back and will not be deformed.
7. Good ventilation, perspective, wide view.

Applicable : 1. Rolling screen window net
2. Flat screen window net
3. Folding net (similar to the fold of a hundred-fold skirt) is suitable for use in concealed screen doors.

Color : Brown ~ Silver ~ Black

Size Chart : SD 0019 & SD 0020 Customized


Item No.	Length	Length	Length	Width	Width	Width	Width	Width	Width	Width
DS 1414	80 ft	100 ft		2.0 ft	3.0 ft	3.5 ft	4.0 ft	6.0 ft		
SC2020			200 yard							
SD0019									4.2 M	4.8 M
SD0020									4.2 M	4.8 M




DS 1414 Silver





DS 1414 Brown



SC 2020 Black






SC 2020 Silver



All of the above products have **added UV resistant weathering agents**





Accessories

Part No. / Name	Picture	Description
PET WIRE (Plastic Steel Wire) Polyester Steel Wire HP0020 HP0025 HP0030 HP0035 HP0040 HP0050		Wire diameter : 2.0, 2.5, 3.0, 3.5, 4.0, 5.0 mm Material : PET (polyester fiber) Features : high strength, no rust, weather resistance, acid and alkali resistance, easy to use. Applicable : 1. Set up climbing frames for planting melon and fruit climbing plants, such as : vineyards, dragon orchards, loofah, bitter gourd and other climbing vines. 2. The net room is set up for use. 3. Replace iron wire and stainless steel wire. 4. The support line of the net.
Hunkunband (Fixed Belt) HB0014		Material : PE (outer PE film, coated with PE high strength fiber) Size : 1.4 cm X 300 M Features : high strength, weather resistant, soft and flat, easy to use. Applicable : 1. Fixed tunnel greenhouse film or net room net to prevent the film from being caught by strong wind and causing damage. 2. Climbing ropes for melons and vines. 3. Instead of iron wire, plastic rope ... etc.
Hanger Clip HE0003		Material : nylon Features : Good wear resistance, flexible steel cable and hanging ear shade network, easy to use.

Accessories





<p>Ground Fixer HF1015 HF1025</p>		<p>Material : PP polypropylene Color : Black Size : φ10x15 cm, φ10x25 cm Features : no rust, no corrosion, reusable. Applicable : 1. Spread the weed suppression mat on the ground and fix it with fixing nails for better flatness. 2. The fixing of the camping mat in the suburbs.</p>
<p>Suture HR0001</p>		<p>Hand stitching, patchwork hand stitching.</p>
<p>Cross rope (Mark rope) HM0001</p>		<p>Material: POLYESTER, is a thick line woven by a horse-knitting machine with 8 wires and 16 strands. Structure, beautiful and strong with texture, nicknamed hollow rope. Material characteristics: not easy to be wrinkled, relatively stiff, good stability, can maintain the shape well, can be wrapped in a variety of materials to strengthen the toughness, and has the characteristics of firmness, wear resistance, sun resistance and easy storage . Differences from nylon rope: Nylon rope is twisted yarn, it will untwist, it is easy to knot, easy to loosen, easy to deform, easy to crease, and touch harder, for used the moving shade net cable is easier to knot and jam no smooth. Application: All kinds of moving nets for brand sanguan colorful shade nets, or various fixed ties.</p>

Accessories

<p>Spring Clip</p> <p>HS0044</p> <p>HS0046</p> <p>HS0048</p> <p>HS0064</p> <p>HS0066</p> <p>HS0068</p> <p>HS0084</p> <p>HS0086</p> <p>HS0088</p>		<p>In combination with the use of the greenhouse, the staggered fistula is fixed, the construction is easy, and it can be reused, which is more convenient and convenient than the wire binding.</p>
<p>Retaining Clip</p> <p>HC0004</p> <p>HC0006</p>		<p>Material : PE polyethylene</p> <p>Type : Black 4 points, 6 points</p> <p>Features : no tools, easy to use.</p> <p>Applicable : shading net, plastic film or insect net, fixed on the fistula.</p> <p>How to use it : put the shade net and plastic film on the top of the fistula according to the appropriate length. The mesh or film is pressed against the manifold by a fixed clip (with a suitable size of the clamp according to the diameter of the tube).</p>
<p>Girdle</p> <p>HY0014</p> <p>HY0020</p> <p>HY0030</p>		<p>Nylon material, used to tie strips such as vine branches, quick and easy to use.</p>
<p>Spools</p> <p>HA0008</p>		<p>For automatic/manual activity shade nets, the open distance of the activity net.</p>

Accessories

Single Pulley HW0001		Uses : With automatic/manual activity shading net, the movable rope can be unfolded and closed.
Double Pulley HW0002		Uses : With automatic/manual activity shading net, the movable rope can be unfolded and closed.
Hanging Wheel HW0003		Uses : With automatic/manual activity shading net, the movable rope can be unfolded and closed.





HunkunNET

Just Net it, When You Need it.



HUN-KUN ENTERPRISE CO., LTD.

No. 155, Sec. 2, Yuan Lu Rd., Fu Hsin Shiang,
Changhua Hsien 50649 , Taiwan (R.O.C.)

TEL : +88647773878 FAX : +88647789778

www.hunkun.com.tw hunkun@hunkun.com.tw



facebook



LINE